


PageSpeed Insights

Mobile



65 / 100 Speed

Should Fix:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://ritudubey.com/>
- <http://www.ritudubey.com/>
- <https://www.ritudubey.com/>

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Mobile

Your page has 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://www.ritudubey.com/css/bootstrap.min.css>
- <https://www.ritudubey.com/css/style.css>



Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 478B (56% reduction).

- Compressing <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 478B (56% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-118449374-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 244B (15% reduction).

- Minifying <https://www.ritudubey.com/css/style.css> could save 244B (15% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 341B (41% reduction).

- Minifying <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 341B (41% reduction).

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 34.8KiB (60% reduction).

- Compressing <https://www.ritudubey.com/img/bangalore-escorts-4.jpg> could save 19.3KiB (52% reduction).
- Compressing <https://www.ritudubey.com/img/blue-hearts.jpg> could save 14.9KiB (78% reduction).
- Compressing https://images.dmca.com/Badges/dmca_protected_sml_120l.png?ID=4c6876bc

Mobile

-5e43-4fde-a9fe-24f1e9b718fa could save 599B (29% reduction).



3 Passed Rules

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience



Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `` and 2 others are close to other tap targets.

Mobile

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



84 / 100 Speed

! Consider Fixing:

Avoid landing page redirects

Your page has 2 redirects. Redirects introduce additional delays before the page can be loaded.

[Avoid landing page redirects](#) for the following chain of redirected URLs.

- <http://ritudubey.com/>
- <http://www.ritudubey.com/>
- <https://www.ritudubey.com/>

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 478B (56% reduction).

- Compressing <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 478B (56% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

Desktop

- <https://www.googletagmanager.com/gtag/js?id=UA-118449374-1> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 244B (15% reduction).

- Minifying <https://www.ritudubey.com/css/style.css> could save 244B (15% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 341B (41% reduction).

- Minifying <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 341B (41% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Desktop

[Optimize CSS Delivery](#) of the following:

- <https://www.ritudubey.com/css/bootstrap.min.css>
- <https://www.ritudubey.com/css/style.css>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 34.8KiB (60% reduction).

- Compressing <https://www.ritudubey.com/img/bangalore-escorts-4.jpg> could save 19.3KiB (52% reduction).
- Compressing <https://www.ritudubey.com/img/blue-hearts.jpg> could save 14.9KiB (78% reduction).
- Compressing https://images.dmca.com/Badges/dmca_protected_sml_120l.png?ID=4c6876bc-5e43-4fde-a9fe-24f1e9b718fa could save 599B (29% reduction).



3 Passed Rules

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible](#)

[Desktop](#)

[content.](#)