


PageSpeed Insights

Mobile



41 / 100 Speed

! Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 98.9KiB (80% reduction).

- Compressing <https://www.stenmastarna.se/> could save 92.5KiB (81% reduction).
- Compressing <https://jp08.zopim.com/s/W/xdds/8cu2lJ9p8roeWHKU/p/1552697324585> could save 6.1KiB (70% reduction).
- Compressing https://www.stenmastarna.se/?wc-ajax=get_refreshed_fragments could save 286B (48% reduction).

Mobile

Reduce server response time

In our test, your server responded in 4 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 22 blocking script resources and 11 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.stenmastarna.se/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://www.stenmastarna.se/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://www.stenmastarna.se/wp-content/plugins/jquery-collapse-omatic/js/collapse.js?ver=1.6.17>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/jquery-blockui/jquery.blockUI.min.js?ver=2.70>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/add-to-cart.min.js?ver=3.5.6>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/woocommerce.min.js?ver=3.5.6>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/cart-fragments.min.js?ver=3.5.6>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/inc/extensions/flatsome-live-search/flatsome-live-search.js?ver=3.5.2>
- <https://www.stenmastarna.se/wp-includes/js/hoverIntent.min.js?ver=1.8.1>

Mobile

- <https://www.stenmastarna.se/wp-content/themes/flatsome/assets/js/flatsome.js?ver=3.5.2>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/assets/js/woocommerce.js?ver=3.5.2>
- <https://www.stenmastarna.se/wp-includes/js/wp-embed.min.js?ver=4.9.8>
- <https://www.stenmastarna.se/wp-includes/js/underscore.min.js?ver=1.8.3>
- <https://www.stenmastarna.se/wp-includes/js/backbone.min.js?ver=1.2.3>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms/assets/js/min/front-end-deps.js?ver=3.4.4>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms/assets/js/min/front-end.js?ver=3.4.4>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms-conditionals/assets/js/min/front-end.js?ver=4.9.8>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms-style/layouts/assets/js/min/front-end.js?ver=3.0.25>
- <https://www.stenmastarna.se/wp-includes/js/zxcvbn-async.min.js?ver=1.0>
- <https://www.stenmastarna.se/wp-admin/js/password-strength-meter.min.js?ver=4.9.8>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/password-strength-meter.min.js?ver=3.5.6>

[Optimize CSS Delivery](#) of the following:

- https://www.stenmastarna.se/wp-content/plugins/jquery-collapse-omatic/light_style.css?ver=1.6
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce-brands/assets/css/style.css?ver=4.9.8>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/assets/css/fl-icons.css?ver=3.3>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/inc/integrations/ninjaforms/ninjaforms.css?ver=4.9.8>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/assets/css/flatsome.css?ver=3.5.2>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/assets/css/flatsome-shop.css?ver=3.5.2>
- <https://www.stenmastarna.se/wp-content/themes/flatsome-child/style.css?ver=3.5.2>
- <https://www.stenmastarna.se/wp-includes/css/dashicons.min.css?ver=4.9.8>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms/assets/css/display->

Mobile

structure.css?ver=4.9.8

- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms-style/layouts/assets/css/display-structure.css?ver=3.0.25>
- <https://fonts.googleapis.com/css?family=Mukta+Mahee:regular,700%7CMukta+Mahee:regular,regular%7CMukta+Mahee:regular,700%7CPlayfair+Display:regular,regular>

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 214.5KiB (18% reduction).

- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/02/banner.jpg> could save 72.9KiB (19% reduction).
- Compressing https://www.stenmastarna.se/wp-content/uploads/2018/08/banner_kok.jpg could save 55.6KiB (16% reduction).
- Compressing https://www.stenmastarna.se/wp-content/uploads/2018/06/klassikplattan_6.jpg could save 27.1KiB (18% reduction).
- Compressing https://www.stenmastarna.se/wp-content/uploads/2018/05/cirkus_3.jpg could save 20.5KiB (13% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/05/Stenm%C3%A4starna-logo.jpg> could save 15.7KiB (48% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/06/Tapwell-Arman-ARM885-Mattsvart-768x512.jpg> could save 3.8KiB (32% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/05/cirkus-768x512.jpg> could save 3.7KiB (18% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/06/Tapwell-Arman-ARM885-Rose-Gold-768x512.jpg> could save 3.7KiB (27% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/06/klassikplattan-768x512.jpg> could save 3.6KiB (17% reduction).
- Compressing https://www.stenmastarna.se/wp-content/uploads/2018/06/cirkus_struktur-768x512.jpg could save 3.6KiB (21% reduction).
- Compressing https://www.stenmastarna.se/wp-content/uploads/2018/06/dekorsten_dolomit-768x512.jpg could save 3.1KiB (18% reduction).

Mobile

- Compressing https://v2.zopim.com/widget/images/avatar_simple_visitor.png could save 1KiB (53% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/mail.png> could save 117B (30% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 17% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: [snapshot:11](#)

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=AW-789560073> (15 minutes)
- https://connect.facebook.net/en_US/fbevents.js (20 minutes)
- <https://connect.facebook.net/signals/config/2116772321937885?v=2.8.42&r=stable> (20 minutes)
- https://cdn.klarna.com/1.0/shared/image/generic/badge/sv_se/checkout/long-

Mobile

white.png?width=440 (60 minutes)

- <https://www.google-analytics.com/plugins/ua/ecommerce.js> (60 minutes)
- https://www.googleadservices.com/pagead/conversion_async.js (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 331B (30% reduction).

- Minifying <https://www.stenmastarna.se/wp-content/plugins/woocommerce-brands/assets/css/style.css?ver=4.9.8> could save 181B (21% reduction) after compression.
- Minifying <https://www.stenmastarna.se/wp-content/themes/flatsome-child/style.css?ver=3.5.2> could save 150B (71% reduction) after compression.

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 11.7KiB (11% reduction).

- Minifying <https://www.stenmastarna.se/> could save 11.7KiB (11% reduction).

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

Mobile

[Minify JavaScript](#) for the following resources to reduce their size by 2.1KiB (43% reduction).

- Minifying <https://www.stenmastarna.se/wp-content/plugins/jquery-collapseomatic/js/collapse.js?ver=1.6.17> could save 2KiB (50% reduction) after compression.
- Minifying <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4> could save 115B (12% reduction) after compression.



1 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

96 / 100 User Experience



Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 417 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `<i class="icon-shopping-cart"></i>` falls outside the viewport.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a

Mobile

touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `` is close to 1 other tap targets final.
- The tap target `` is close to 1 other tap targets final.
- The tap target `` is close to 1 other tap targets final.
- The tap target `INOMHUSPRODUKTER` is close to 1 other tap targets final.
- The tap target `<button type="button" class="flickity-prev-...utton previous"></button>` and 1 others are close to other tap targets.
- The tap target `026-18 36 30` is close to 1 other tap targets.



3 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



73 / 100 Speed

Should Fix:

Reduce server response time

In our test, your server responded in 2.1 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 21 blocking script resources and 4 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://www.stenmastarna.se/wp-content/cache/wpfc-minified/1r0qe13a/bxqqq.js>
- <https://www.stenmastarna.se/wp-content/plugins/jquery-collapse-omatic/js/collapse.js?ver=1.6.17>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/jquery-blockui/jquery.blockUI.min.js?ver=2.70>

Desktop

- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/add-to-cart.min.js?ver=3.5.6>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/woocommerce.min.js?ver=3.5.6>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/cart-fragments.min.js?ver=3.5.6>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/inc/extensions/flatsome-live-search/flatsome-live-search.js?ver=3.5.2>
- <https://www.stenmastarna.se/wp-includes/js/hoverIntent.min.js?ver=1.8.1>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/assets/js/flatsome.js?ver=3.5.2>
- <https://www.stenmastarna.se/wp-content/themes/flatsome/assets/js/woocommerce.js?ver=3.5.2>
- <https://www.stenmastarna.se/wp-includes/js/wp-embed.min.js?ver=4.9.8>
- <https://www.stenmastarna.se/wp-includes/js/underscore.min.js?ver=1.8.3>
- <https://www.stenmastarna.se/wp-includes/js/backbone.min.js?ver=1.2.3>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms/assets/js/min/front-end-deps.js?ver=3.4.4>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms/assets/js/min/front-end.js?ver=3.4.4>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms-conditionals/assets/js/min/front-end.js?ver=4.9.8>
- <https://www.stenmastarna.se/wp-content/plugins/ninja-forms-style/layouts/assets/js/min/front-end.js?ver=3.0.25>
- <https://www.stenmastarna.se/wp-includes/js/zxcvbn-async.min.js?ver=1.0>
- <https://www.stenmastarna.se/wp-admin/js/password-strength-meter.min.js?ver=4.9.8>
- <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/frontend/password-strength-meter.min.js?ver=3.5.6>

[Optimize CSS Delivery](#) of the following:

- <https://www.stenmastarna.se/wp-content/cache/wpfc-minified/3ke187w/bxqqq.css>
- <https://www.stenmastarna.se/wp-content/cache/wpfc-minified/8ve3i4h4/bxqqq.css>
- <https://www.stenmastarna.se/wp-content/cache/wpfc-minified/7mse0lbk/bxqqq.css>

Desktop

- <https://fonts.googleapis.com/css?family=Mukta+Mahee:regular,700%7CMukta+Mahee:regular,regular%7CMukta+Mahee:regular,700%7CPlayfair+Display:regular,regular>

Consider Fixing:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 286B (48% reduction).

- Compressing https://www.stenmastarna.se/?wc-ajax=get_refreshed_fragments could save 286B (48% reduction).

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=AW-789560073> (15 minutes)
- https://connect.facebook.net/en_US/fbevents.js (20 minutes)
- <https://connect.facebook.net/signals/config/2116772321937885?v=2.8.42&r=stable> (20 minutes)
- https://cdn.klarna.com/1.0/shared/image/generic/badge/sv_se/checkout/long-white.png?width=440 (60 minutes)
- <https://www.google-analytics.com/plugins/ua/ecommerce.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.1KiB (43% reduction).

- Minifying <https://www.stenmastarna.se/wp-content/plugins/jquery-collapse-omatic/js/collapse.js?ver=1.6.17> could save 2KiB (50% reduction) after compression.
- Minifying <https://www.stenmastarna.se/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4> could save 115B (12% reduction) after compression.

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 20.7KiB (34% reduction).

- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/05/Stenm%C3%A4starna-logo.jpg> could save 15.7KiB (48% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/06/Tapwell-Arman-ARM885-Mattsvart-327x218.jpg> could save 1,013B (26% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/06/Tapwell-Arman-ARM885-Rose-Gold-327x218.jpg> could save 948B (23% reduction).
- Compressing https://www.stenmastarna.se/wp-content/uploads/2018/06/cirkus_struktur-327x218.jpg could save 798B (17% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/05/cirkus-327x218.jpg> could save 752B (15% reduction).
- Compressing https://www.stenmastarna.se/wp-content/uploads/2018/06/dekorsten_dolomit-327x218.jpg could save 722B (14% reduction).
- Compressing <https://www.stenmastarna.se/wp-content/uploads/2018/06/klassikplattan-327x218.jpg> could save 722B (14% reduction).

Desktop

- Compressing <https://www.stenmastarna.se/wp-content/uploads/mail.png> could save 117B (30% reduction).

Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 25% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: [snapshot:26](#)



3 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).