

PageSpeed Insights

Mobile

Stinas Trädgård



Om Stinas Trädgård

Stinas Trädgård är ett personligt företag som värnar om miljön och står för kvalitet och kreativitet. Jag planerar, anlägger och sköter privata trädgårdar samt andra mer offentliga trädgårdsrum såsom innergårdar och skolträdgårdar.

51 / 100 Speed

 Should Fix:

Reduce server response time

In our test, your server responded in 2.5 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 11 blocking script resources and 10 blocking CSS resources. This causes a delay in rendering your page.

Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/plugins/wp-enqueue/webfontloader.js?ver=5.0.3>
- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/js/greensock.js?ver=1.19.0>
- <https://stinastradgard.se/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://stinastradgard.se/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/js/layerslider.kreaturamedia.jquery.js?ver=6.7.6>
- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/js/layerslider.transitions.js?ver=6.7.6>
- <https://stinastradgard.se/wp-content/plugins/google-analytics-for-wordpress/assets/js/frontend.min.js?ver=7.4.2>
- <https://stinastradgard.se/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21>
- <https://stinastradgard.se/wp-includes/js/comment-reply.min.js?ver=5.0.3>
- <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/core-scripts.6.1.6.js?ver=1545051425>
- <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/components-full.6.1.6.js?ver=1545051425>

[Optimize CSS Delivery](#) of the following:

- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/css/layerslider.css?ver=6.7.6>
- <https://fonts.googleapis.com/css?family=Lato:100,300,regular,700,900%7COpen+Sans:300%7CIndie+Flower:regular%7COswald:300,regular,700&subset=latin%2Clatin-ext>
- <https://stinastradgard.se/wp-includes/css/dist/block-library/style.min.css?ver=5.0.3>
- <https://stinastradgard.se/wp-content/themes/jupiter/assets/stylesheet/min/full-styles.6.1.6.css?ver=1545051554>
- <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhh-render.css?ver=6.1.6>
- <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhh-row.css?ver=6.1.6>
- <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhh->

Mobile

column.css?ver=6.1.6

- <https://stinastradgard.se/wp-content/plugins/simple-social-icons/css/style.css?ver=3.0.0>
- https://stinastradgard.se/wp-content/plugins/js_composer_theme/assets/css/js_composer.min.css?ver=5.5.5
- https://stinastradgard.goldlife.hosting/wp-content/uploads/sites/22/mk_assets/theme-options-production-1545064893.css?ver=1545053530

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 122.7KiB (45% reduction).

- Compressing <https://stinastradgard.se/wp-content/uploads/sites/22/2018/04/guld-idetradgarden-1.jpg> could save 88.1KiB (64% reduction).
- Compressing <https://stinastradgard.se/wp-content/uploads/sites/22/2018/03/referens-nordiska-tradgardar-1.jpg> could save 18.4KiB (36% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yX/r/Kvo5FesWVKX.png> could save 6.8KiB (37% reduction).
- Compressing https://stinastradgard.goldlife.hosting/wp-content/uploads/sites/22/2015/09/stinastradgard_logo.png could save 6.3KiB (15% reduction).
- Compressing https://scontent-lga3-1.cdninstagram.com/vp/79ecff3be3f45754a893afedaa3d4c58/5CE9CBE4/t51.2885-15/e35/s150x150/49906699_243564846572771_3555947289997423310_n.jpg?_nc_ht=scontent-lga3-1.cdninstagram.com could save 963B (14% reduction).
- Compressing https://scontent-lga3-1.cdninstagram.com/vp/f3477f268a2d374947c7fdf89b26f05f/5CEA18A7/t51.2885-15/e35/s150x150/49805966_293599448020030_8743481683099269660_n.jpg?_nc_ht=scontent-lga3-1.cdninstagram.com could save 875B (13% reduction).
- Compressing https://scontent-lga3-1.cdninstagram.com/vp/1fbbb33dbfc16d01da8aca4f0ec6ea0f/5CE6E4D5/t51.2885-15/e35/s150x150/51026391_365499540698232_7047777899307906412_n.jpg?_nc_ht=scontent-lga3-1.cdninstagram.com could save 855B (13% reduction).
- Compressing https://scontent-dfw5-1.xx.fbcdn.net/v/t1.0-1/c30.27.334.334a/s50x50/521615_628793463802148_358510142_n.png?_nc_cat=105&_nc_ht=scontent-dfw5-1.xx&oh=bce963a663cf49989791bc3acbeae7d3&oe=5CFD46D2 could save 412B (15% reduction).

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.google-analytics.com/plugins/ua/linkid.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.2KiB (21% reduction).

- Minifying <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/css/layerslider.css?ver=6.7.6> could save 752B (20% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhb-render.css?ver=6.1.6> could save 233B (21% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhb-column.css?ver=6.1.6> could save 187B (23% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhb-row.css?ver=6.1.6> could save 107B (20% reduction) after compression.

Mobile

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 61.3KiB (43% reduction).

- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/core-scripts.6.1.6.js?ver=1545051425> could save 50.5KiB (45% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/components-full.6.1.6.js?ver=1545051425> could save 5.9KiB (34% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/plugins/wp-enqueue/smoothscroll.js?ver=1545051624> could save 2.7KiB (42% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21> could save 1KiB (44% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/js/mkxb-render.js?ver=6.1.6> could save 677B (39% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/js/mkxb-column.js?ver=6.1.6> could save 499B (47% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Mobile

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

99 / 100 User Experience

Consider Fixing:

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `070-975 72 04` and 1 others are close to other tap targets.

4 Passed Rules

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Configure the viewport

Mobile

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

Desktop



75 / 100 Speed

Should Fix:

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 11 blocking script resources and 10 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

Desktop

[Remove render-blocking JavaScript:](#)

- <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/plugins/wp-enqueue/webfontloader.js?ver=5.0.3>
- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/js/greensock.js?ver=1.19.0>
- <https://stinastradgard.se/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://stinastradgard.se/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/js/layerslider.kreaturamedia.jquery.js?ver=6.7.6>
- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/js/layerslider.transitions.js?ver=6.7.6>
- <https://stinastradgard.se/wp-content/plugins/google-analytics-for-wordpress/assets/js/frontend.min.js?ver=7.4.2>
- <https://stinastradgard.se/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21>
- <https://stinastradgard.se/wp-includes/js/comment-reply.min.js?ver=5.0.3>
- <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/core-scripts.6.1.6.js?ver=1545051425>
- <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/components-full.6.1.6.js?ver=1545051425>

[Optimize CSS Delivery](#) of the following:

- <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/css/layerslider.css?ver=6.7.6>
- <https://fonts.googleapis.com/css?family=Lato:100,300,regular,700,900%7COpen+Sans:300%7CIndie+Flower:regular%7COswald:300,regular,700&subset=latin%2Clatin-ext>
- <https://stinastradgard.se/wp-includes/css/dist/block-library/style.min.css?ver=5.0.3>
- <https://stinastradgard.se/wp-content/themes/jupiter/assets/stylesheet/min/full-styles.6.1.6.css?ver=1545051554>
- <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhhb-render.css?ver=6.1.6>
- <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhhb-row.css?ver=6.1.6>
- <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhhb-column.css?ver=6.1.6>
- <https://stinastradgard.se/wp-content/plugins/simple-social-icons/css/style.css?ver=3.0.0>

- https://stinastradgard.se/wp-content/plugins/js_composer_theme/assets/css/js_composer.min.css?ver=5.5.5
- https://stinastradgard.goldlife.hosting/wp-content/uploads/sites/22/mk_assets/theme-options-production-1545064893.css?ver=1545053530

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 122.7KiB (45% reduction).

- Compressing <https://stinastradgard.se/wp-content/uploads/sites/22/2018/04/guld-idetradgarden-1.jpg> could save 88.1KiB (64% reduction).
- Compressing <https://stinastradgard.se/wp-content/uploads/sites/22/2018/03/referens-nordiska-tradgardar-1.jpg> could save 18.4KiB (36% reduction).
- Compressing <https://static.xx.fbcdn.net/rsrc.php/v3/yX/r/Kvo5FesWVKX.png> could save 6.8KiB (37% reduction).
- Compressing https://stinastradgard.goldlife.hosting/wp-content/uploads/sites/22/2015/09/stinastradgard_logo.png could save 6.3KiB (15% reduction).
- Compressing https://scontent-lga3-1.cdninstagram.com/vp/79ecff3be3f45754a893afedaa3d4c58/5CE9CBE4/t51.2885-15/e35/s150x150/49906699_243564846572771_3555947289997423310_n.jpg?_nc_ht=scontent-lga3-1.cdninstagram.com could save 963B (14% reduction).
- Compressing https://scontent-lga3-1.cdninstagram.com/vp/f3477f268a2d374947c7fdf89b26f05f/5CEA18A7/t51.2885-15/e35/s150x150/49805966_293599448020030_8743481683099269660_n.jpg?_nc_ht=scontent-lga3-1.cdninstagram.com could save 875B (13% reduction).
- Compressing https://scontent-lga3-1.cdninstagram.com/vp/1fbbb33dbfc16d01da8aca4f0ec6ea0f/5CE6E4D5/t51.2885-15/e35/s150x150/51026391_365499540698232_7047777899307906412_n.jpg?_nc_ht=scontent-lga3-1.cdninstagram.com could save 855B (13% reduction).
- Compressing https://scontent-dfw5-1.xx.fbcdn.net/v/t1.0-1/c30.27.334.334a/s50x50/521615_628793463802148_358510142_n.png?_nc_cat=105&_nc_ht=scontent-dfw5-1.xx&oh=bce963a663cf49989791bc3acbeae7d3&oe=5CFD46D2 could save 412B (15% reduction).

 Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.google-analytics.com/plugins/ua/linkid.js> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)

Reduce server response time

In our test, your server responded in 0.25 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 1.2KiB (21% reduction).

- Minifying <https://stinastradgard.se/wp-content/plugins/LayerSlider/static/layerslider/css/layerslider.css?ver=6.7.6> could save 752B (20% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhub-render.css?ver=6.1.6> could save 233B (21% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhub-column.css?ver=6.1.6> could save 187B (23% reduction)

Desktop

after compression.

- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/css/mkhh-row.css?ver=6.1.6> could save 107B (20% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 61.3KiB (43% reduction).

- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/core-scripts.6.1.6.js?ver=1545051425> could save 50.5KiB (45% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/components-full.6.1.6.js?ver=1545051425> could save 5.9KiB (34% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/assets/js/plugins/wp-enqueue/smoothscroll.js?ver=1545051624> could save 2.7KiB (42% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/plugins/simple-social-icons/svgxuse.js?ver=1.1.21> could save 1KiB (44% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/js/mkhh-render.js?ver=6.1.6> could save 677B (39% reduction) after compression.
- Minifying <https://stinastradgard.se/wp-content/themes/jupiter/header-builder/includes/assets/js/mkhh-column.js?ver=6.1.6> could save 499B (47% reduction) after compression.



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Enable compression

You have compression enabled. Learn more about [enabling compression](#).

Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).