


PageSpeed Insights

Mobile



58 / 100 Speed

Should Fix:

Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 218.7KiB (76% reduction).

- Compressing <http://w.sharethis.com/button/buttons.js> could save 109.9KiB (77% reduction).
- Compressing <http://w.sharethis.com/share5x/js/st.95255eb2609669f0c6204542b76fc9b3.js> could save 97.4KiB (76% reduction).
- Compressing <http://w.sharethis.com/share5x/js/stcommon.48535ae6b41506ceaa0bdafe9849b282.js> could save 10.5KiB (66% reduction).
- Compressing <http://seg.sharethis.com/getSegment.php?purl=http%3A%2F%2Fdnstoolkit.net%2F&jsref=&rnd=1468135233478> could save 841B (50% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 4 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://ajax.googleapis.com/ajax/libs/jquery/1.8.0/jquery.min.js>
- <http://dnstoolkit.net/js/bootstrap.js>
- <http://s.sharethis.com/loader.js>

[Use asynchronous versions](#) of the following scripts:

- <http://w.sharethis.com/button/buttons.js>

[Optimize CSS Delivery](#) of the following:

- <http://dnstoolkit.net/css/style.css>



Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://dnstoolkit.net/css/style.css> (expiration not specified)
- http://dnstoolkit.net/img/dnstoolkit_logo.png (expiration not specified)

Mobile

- <http://dnstoolkit.net/js/bootstrap.js> (expiration not specified)
- <http://s.sharethis.com/loader.js> (4.8 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- http://pagead2.googlesyndication.com/pagead/show_ads.js (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 530B (13% reduction).

- **Minifying**
<http://edge.sharethis.com/share5x/index.70a9955821a08deefa8f5d2a4467e1bb.html> could save 530B (13% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.4KiB (27% reduction).

- **Minifying** <http://dnstoolkit.net/js/bootstrap.js> could save 2.4KiB (27% reduction) after compression.

Mobile

Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 592B (17% reduction).

- Losslessly compressing https://lh3.googleusercontent.com/xfDILCuRN_vAb7Q6_TY1ZW5WUrjQ_O0Fdc3baPjomMt38YGow9jUBRAXd9ZISUC-jxt4dtUqP7s=w101-h101-n could save 592B (17% reduction).



4 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

Mobile

Should Fix:

Configure the viewport

Your page does not have a viewport specified. This causes mobile devices to render your page as it would appear on a desktop browser, scaling it down to fit on a mobile screen. Configure a viewport to allow your page to render properly on all devices.

[Configure a viewport](#) for this page.

Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `Home` and 7 others are close to other tap targets final.
- The tap target `<input id="record" type="text" name="record">` is close to 1 other tap targets final.
- The tap target `<input type="submit" name="submit" class="btn btn-danger">` is close to 1 other tap targets final.
- The tap target `<label for="optNslookup" class="radio">nslookup</label>` and 1 others are close to other tap targets final.
- The tap target `<input id="optNslookup" type="radio" name="operation">` and 1 others are close to other tap targets final.
- The tap target `DateTix` is close to 2 other tap targets final.
- The tap target `FREE` is close to 3 other tap targets final.
- The tap target `<div class="rhstoreicon"></div>` is close to 1 other tap targets final.
- The tap target `Download Free App Now` is close to 1 other tap targets final.

Mobile

- The tap target `Meet Someone N...ss. Date More.` is close to 1 other tap targets final.
- The tap target `<div id="abgc" class="abgc">Ads byGoogle</div>` is close to 2 other tap targets final.
- The tap target `Online NSLOOKUP` and 1 others are close to other tap targets final.
- The tap target `Ads byGoogle` is close to 1 other tap targets final.
- The tap target `▶ Reverse DNS Lookup Tool` is close to 1 other tap targets final.
- The tap target `2013-10-26` and 7 others are close to other tap targets final.

Use legible font sizes

The following text on your page renders in a way that may be difficult for some of your visitors to read. [Use legible font sizes](#) to provide a better user experience.

The following text fragments have a small font size. Increase the font size to make them more legible.

- nslookup, whoi...P address, ... renders only 5 pixels tall (14 CSS pixels) final.
- What is my IP? and 7 others render only 5 pixels tall (14 CSS pixels) final.
- Domain, host n...or IP address renders only 5 pixels tall (14 CSS pixels) final.
- nslookup and 1 others render only 5 pixels tall (14 CSS pixels) final.
- FREE renders only 7 pixels tall (19 CSS pixels) final.
- (119) renders only 7 pixels tall (19 CSS pixels) final.
- Download Free App Now renders only 6 pixels tall (16 CSS pixels) final.
- Meet Someone N...ss. Date More. renders only 6 pixels tall (15 CSS pixels) final.
- Useful tools: renders only 7 pixels tall (18 CSS pixels) final.
- Online NSLOOKUP and 1 others render only 6 pixels tall (16 CSS pixels) final.
- Latest discovered domains: and 1 others render only 7 pixels tall (18 CSS pixels) final.

Mobile

- ► Reverse DNS Lookup Tool and 2 others render only 6 pixels tall (16 CSS pixels) final.
- Terms of Service and 9 others render only 5 pixels tall (14 CSS pixels) final.
- Page generated in 0 seconds. renders only 5 pixels tall (14 CSS pixels) final.

Consider Fixing:

Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 1,036 CSS pixels wide, but the viewport is only 980 CSS pixels wide. The following elements fall outside the viewport:

- The element `<h3 id="baseline">Free online ne...P address, ...</h3>` falls outside the viewport.
- The element `<div class="navbar-inner">Home...What is my IP?</div>` falls outside the viewport.
- The element `<h1>Online network...ain utilities:</h1>` falls outside the viewport.
- The element `<h4>Useful tools:</h4>` falls outside the viewport.
- The element `Online NSLOOKUP` falls outside the viewport.
- The element `Online WHOIS` falls outside the viewport.
- The element `<h4>Sponsored links:</h4>` falls outside the viewport.
- The element `<h4>Latest discovered domains:</h4>` falls outside the viewport.
- The element `2013-10-26` falls outside the viewport.
- The element `2013-10-25` falls outside the viewport.
- The element `2013-10-24` falls outside the viewport.
- The element `2013-10-23` falls outside the viewport.
- The element `2013-10-22` falls outside the viewport.
- The element `Previous dates` falls outside the viewport.

Mobile

- The element `<div class="navbar-inner">Home...What is my IP?</div>` falls outside the viewport.



2 Passed Rules

Avoid app install interstitials that hide content

Your page does not appear to have any app install interstitials that hide a significant amount of content. Learn more about the importance of [avoiding the use of app install interstitials](#).

Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

Desktop

The screenshot shows the dnstoolkit website interface. At the top, it says "Free online network tools" and "Home, What is my IP?". Below that, it lists "Online network and domain utilities:". There is a search bar for "Domain, host name or IP address" with a "Go" button. To the right, there are sections for "Useful tools:" (with links to Online DNS Lookup, Online WHOIS, etc.), "Sponsored links:" (with links to Online DNS Lookup, IP Address DNS Server, etc.), and "Latest discovered domains:" (with a list of domains like 2019-10-29, 2019-10-28, etc.). At the bottom, it says "Page generated in 0 seconds".

72 / 100 Speed



Should Fix:

Enable compression

Desktop

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 218.7KiB (76% reduction).

- Compressing <http://w.sharethis.com/button/buttons.js> could save 109.9KiB (77% reduction).
- Compressing <http://w.sharethis.com/share5x/js/st.95255eb2609669f0c6204542b76fc9b3.js> could save 97.4KiB (76% reduction).
- Compressing <http://w.sharethis.com/share5x/js/stcommon.48535ae6b41506ceaa0bdafe9849b282.js> could save 10.5KiB (66% reduction).
- Compressing <http://seg.sharethis.com/getSegment.php?purl=http%3A%2F%2Fdnstoolkit.net%2F&jsref=&rnd=1468135237262> could save 842B (50% reduction).

Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 5 blocking script resources and 1 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <http://ajax.googleapis.com/ajax/libs/jquery/1.8.0/jquery.min.js>
- <http://dnstoolkit.net/js/bootstrap.js>
- <http://s.sharethis.com/loader.js>

[Use asynchronous versions](#) of the following scripts:

- <http://w.sharethis.com/button/buttons.js>
- http://pagead2.googlesyndication.com/pagead/show_ads.js

[Optimize CSS Delivery](#) of the following:

- <http://dnstoolkit.net/css/style.css>

Consider Fixing:

Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <http://dnstoolkit.net/css/style.css> (expiration not specified)
- http://dnstoolkit.net/img/dnstoolkit_logo.png (expiration not specified)
- <http://dnstoolkit.net/js/bootstrap.js> (expiration not specified)
- <http://s.sharethis.com/loader.js> (3.1 minutes)
- <http://pagead2.googlesyndication.com/pagead/js/adsbygoogle.js> (60 minutes)
- http://pagead2.googlesyndication.com/pagead/show_ads.js (60 minutes)
- <https://pagead2.googlesyndication.com/pagead/osd.js> (60 minutes)
- <http://www.google-analytics.com/ga.js> (2 hours)

Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 530B (13% reduction).

- Minifying <http://edge.sharethis.com/share5x/index.70a9955821a08deefa8f5d2a4467e1bb.html> could save 530B (13% reduction) after compression.

Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 2.4KiB (27% reduction).

- Minifying <http://dnstoolkit.net/js/bootstrap.js> could save 2.4KiB (27% reduction) after compression.



5 Passed Rules

Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

Reduce server response time

Your server responded quickly. Learn more about [server response time optimization](#).

Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

Optimize images

Your images are optimized. Learn more about [optimizing images](#).

Prioritize visible content

Desktop

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).